

TRION MODEL 442501-025

HOME
WINDOW AIR CONDITIONERS
PORTABLE AIR CONDITIONERS
DEHUMIDIFIERS
AIR PURIFIERS
CONSUMER PARTS
STEP-BY-STEP HELP
FAQ
CUSTOMER SERVICE
WARRANTY

SHOW ORDER




62 CADR
Electronic Air Purif
CLEANS 10' x 10'

- Forever Filter - no expen
- 90-day Limited Warranty
- Charcoal filter removes r
- Easy cleaning
- Quiet operation


442501-025 \$115.00

Order

BEST AVAILABLE COPY



Easy-to-Use
Rotary Controls



ELECTRICAL OUTLET

SPECIFICATIONS	
Model #	44 2501-025
PERFORMANCE	
CADR	
Room Size (Sq. Ft.)	
ELECTRICAL REQUIREMENTS	
Voltage	
Watts	
Plug Cap. Amps	
Plug Type	
FEATURES	
Pre-Filter	
Charcoal Filter	
Negative Ion Generator	
Fast Dry Mode (for drying filter after washing)	
Fan Speeds	
CABINET SIZE	
Width (in)	
Depth (in)	
Height (in)	

Standard 115 Volt

SHIPPING

Shipping Weight (lbs)

Visual appearance and specifications can change

442501-025 \$115.00

Order

WINDOW AIR CONDITIONERS

PORTABLE AIR CONDITIONERS

DEHUMIDIFIERS

AIR PURIFIERS

*Thank you for shopping at FeddersOutlet.com... we appreciate your business!
Investors please visit www.fedders.com. Click [here](#) to view our privacy policy.*

HOME
WINDOW AIR CONDITIONERS
PORTABLE AIR CONDITIONERS
DEHUMIDIFIERS
AIR PURIFIERS
CONSUMER PARTS
STEP-BY-STEP HELP
FAQ
CUSTOMER SERVICE
WARRANTY


SHOW ORDER

FEDDERS

Air Treatment OUTLET

AIR PURIFIERS

Save Up to \$200
Over 5 Years!



With the Forever Filter, dust a metal plates and simply washed : can save you up to \$200 over the to HEPA-type filters.

WINDOW AIR CONDITIONERS


PORTABLE AIR CONDITIONERS

DEHUMIDIFIERS

AIR P

Thank you for shopping at FeddersOutlet.com... we appreciate your business
Investors please visit www.fedders.com. Click [here](#) to view our privacy policy

TRION
442501-025



TRION

WARNING

DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS

DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS

DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS

DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS


DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS


DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS

CAUTION


DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS


DO NOT USE
IN PROXIMITY
TO FLAMMABLE
GASES OR VAPORS
OR OILS
OR OTHER
FLAMMABLE
MATERIALS







READ THE INSTRUCTIONS
Before using the typewriter, read the instructions carefully. The typewriter is designed to operate on 110 volts AC, 60 cycles per second. It is not to be used on other power supplies. The typewriter is not to be used in a damp or wet location. It is not to be used in a location where it is exposed to dust or dirt. It is not to be used in a location where it is exposed to heat or cold. It is not to be used in a location where it is exposed to vibration or shock. It is not to be used in a location where it is exposed to any other hazardous conditions. The typewriter is not to be used by children or persons who are unable to read the instructions. The typewriter is not to be used in a location where it is exposed to any other hazardous conditions. The typewriter is not to be used by children or persons who are unable to read the instructions. The typewriter is not to be used in a location where it is exposed to any other hazardous conditions. The typewriter is not to be used by children or persons who are unable to read the instructions.























**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.